Fond du Lac Natural stone
BUILDING & LANDSCAPE STONE

ENVISION
REAL Stone. REAL Texture.
SEE it on your REAL Home.

Fond du Lac Falls™



SPECIFICATIONS

GEOLOGY	Limestone
TYPE	70% Splitface (Fond du Lac Country), 30% Bedface (Fond du Lac Manor)
PATTERN	Natural Course Heights | 2:1 Random Ashlar
HEIGHTS	Varies from 2" - 9" (Full Bed); 2" - 6" (Thin Veneer)
LENGTHS	Full Bed: 8" - 36" | Thin Veneer: 6" - 20" (Crated or Palletized material can exceed 20")
DEPTHS	3/4" - 1 1/4" (Thin Veneer); 3"-5" Full Veneer)
COLORS	Buff, Gray-Grey
COVERAGE	Full Bed Depth Veneer: 35-40 Square Feet Per Ton
WEIGHT	14.9 lbs. per square foot (Thin Veneer)
FLATS	10 s/f Box; 100 s/f Crate, 180 s/f Crate; 100 s/f Pallet, 180 s/f Crate, 200 s/f Pallet
CORNERS	10 l/f Box; 100 l/f Crate; 100 l/f pallet
NOTES	**Formerly NSVI's *"Arlington"*; pre-packaged 70% Splitface (*FDL Country)*, 30% Bedface (*FDL Manor*)**

ASTM C-97

Water Absorption %	.31
Bulk Specific Gravity	2.83

ASTM C-170

Parallel to Rift, Dry (psi)	36100
Parallel to Rift, Wet (psi)	32000
Perpendicular to Rift, Dry (psi)	35800
Perpendicular to Rift, Wet (psi)	30000

ASTM C-99

Parallel to Rift, Dry (psi)	3770
Parallel to Rift, Wet (psi)	3500

ASTM C-880

Perpendicular to Rift, Dry (psi)	1780
Perpendicular to Rift, Wet (psi)	1730

Fond du Lac Natural Stone | fdlnaturalstone.com
N4224 Hwy 175 PO Box 347 Fond du Lac, WI 54936-0347
Phone: 920-923-2800 | Toll Free: 877-923-2800 | Fax: 920-923-3800