















**SPECIFICATIONS**

	<b>GEOLOGY</b>	Sandstone
	<b>TYPE</b>	Tumbled, 100% bedfaced
	<b>PATTERN</b>	Natural Coursed Ashlar   2:1 Random Ashlar
	<b>HEIGHTS</b>	4"-12" (Thin Veneer)
	<b>LENGTHS</b>	Thin Veneer: 6"-20" (Crated or palletized material may exceed 20")
	<b>DEPTHS</b>	3/4" to 1-1/4" (Thin Veneer)
	<b>COLORS</b>	Beige, Brown, Carmel, Gray-Grey
	<b>COVERAGE</b>	
	<b>WEIGHT</b>	12.3 lbs. per square foot.
	<b>FLATS</b>	10 s/f Box, 100 s/f Crate, 180 s/f Crate
	<b>CORNERS</b>	10 l/f Box, 100 l/f Crate, Crated material can exceed 20"
	<b>NOTES</b>	Tumbled version of Woodland, 70% Camelback - 30% Grays

**ASTM C-97**

Water Absorption %
Bulk Specific Gravity

**ASTM C-170**

Parallel to Rift, Dry (psi)
Parallel to Rift, Wet (psi)
Perpendicular to Rift, Dry (psi)
Perpendicular to Rift, Wet (psi)

**ASTM C-99**

Parallel to Rift, Dry (psi)
Parallel to Rift, Wet (psi)

**ASTM C-880**

Perpendicular to Rift, Dry (psi)
Perpendicular to Rift, Wet (psi)



**GOLD QUARRY**  
 ANSI/NSC 373-2013  
 C0290908-101



**GOLD FABRICATOR**  
 ANSI/NSC 373-2013  
 C0289215-101